Support. Upgrade. Maintenance.

AFT customers who have a Support, Upgrade, Maintenance (SUM) agreement will automatically upgrade to the most recent version at no extra cost. Combined with training seminar discounts and access to premier support, the decision is easy. Call AFT to activate your SUM agreement today.



f 🕑 📴 in 🖸

AFT Fathom 11	AFT Fathom 10	AFT Fathom 9
Multi-Scenario Comparison: Data can be compared between multiple scenarios to show changes made	Import from CAESAR II [®] neutral files and Piping Component Files (.pcf) as well as import/export model data from an EPANet file	New graphing features include display of multiple graphs in same tab, stacked graphs, double-Y axis graphs, and new graph folders to organize and easily display groups of saved graphs
Cross-plot Pump vs. System curves across multiple operating scenarios	Enhanced Excel® integration such as: Export data with a controlled scenario-to-worksheet Manager; improved import model change data with batch import to change multiple scenarios at once and use junction and parameter friendly names; easier Cost Database creation using Excel import/export	Language choices for German and Chinese, in addition to French and Spanish, for all output, graphs and menus
Multi-level undo and redo on the Workspace	Isometric grid drawing on the Workspace	Support for NFPA output reporting
All Summary Output parameters can now be displayed on the Visual Report	Made rotodynamic (centrifugal) and positive displacement pumps data entry clearer on the Pump Property window	GIS shape files can be imported to create a model
Double-click on a junction on the Toolbox to add multiple to the Workspace (similar to pipes)	Acceleration head loss calculation for PD pumps	Improved search capability includes searches for pipe and junction notes, names and numbers
Convert intermediate elevations to new pipes and branches	Enhanced pipe heat transfer including external convection coefficient calculation, buried pipe heat transfer, and heat tracing	New Weir junction
Can now save 'design alerts' and load from a file	Large models now load faster	New 3-K method for laminar flow through fittings

Ready to access these new features? Email info@aft.com

Full list of **New Features** you can use in AFT Fathom[™] 11

Significant New Features

- Data can be compared between multiple scenarios to show changes made
- Multi-level undo and redo on the Workspace
- Cross-plotting of Pump vs. System curves across multiple operating scenarios
- All Summary Output parameters can now be displayed on the Visual Report

Overall

- Improved intelligence on when a model needs to be saved to preserve the output
- Improved model loading speed
- Improved language refresh speed
- New and updated themes

Workspace

- Magnifier tool to quickly view objects on the Workspace
- Allow pipe/junction editing while the Undefined Items panel is shown
- Double-click on a junction on the Toolbox to add multiple to the Workspace (similar to pipes)
- Ability to draw pipes off the grid when in isometric mode
- Junction icons automatically rotate to align with pipes
- Select shortest path between two junctions

Visual Report

Visual Report Control has been redesigned

Pipes

- Convert intermediate pipe elevations to new pipes and branch junctions
- Pipes can be joined together to form a single pipe
- Heat tracing now allows the entry of power/length and number of turns

Junctions

- More intelligent Tee/Wye junction during input and Workspace movements
- Built-in K values for bends with r/D between 0.5 and 1

Output

- Notes can be added to cells in the Output tables
- Output Control parameters can be filtered by typing part of the parameter name
- The thermal conductivity used in the heat transfer calculations is now displayed

Global Edit

- Revised to improve usability
- A pipe or junction can be selected as the base data to apply to other pipes or junctions
- Notes can be globally edited on junctions

Other

- Ability to import custom Fittings & Losses from a comma-separated file
- Design Alerts can be saved to and loaded from a comma-separated file
- New Diagnostics window to help identify special features or options being used in the scenario



Goal Seek & Control

Identifies input parameters that yield desired output values and simulates control functions



Extended Time Simulation

Models dynamic system behavior and how critical system parameters vary over time



Settling Slurry

Models the effects of pumping fluids containing settling solids using the Wilson/GIW method



Automated Network Sizing

Automatically size your network to meet design requirements and minimize system cost

"AFT Fathom", "Applied Flow Technology" and the AFT logo are trademarks of Applied Flow Technology Corporation. CAESAR II and Microsoft Excel are thirdparty products owned and trademarked by their individual corporations

Add-On Modules